



## PRIORITY DOCUMENT

COMPLIANCE WITH RULE 17.1(a) OR (b)

PEC'D PCT/PTO 23 DEC 2004, GB2003/002703

The Patent Office PEOPLE Concept House Cardiff Road

Newport

South Wales NP10 SEED 0 1 AUG 2003

WIPO PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation and Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General hereby certify that annexed hereto is a true copy of the international application filed on 24 June 2002 under the Patent Cooperation Treaty at the UK Receiving Office. The application was allocated the number PCT/GB2002/002846.


In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or the inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 18 JUL 2003



- HOME -

## PCT

#### REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

	For receivi	ng Offic	ce use c	only		
P	CT/GB	02	/ 0	28	46	
International Appli				Ū	. •	
	2	1 .	JUNE		2002	
International Filing	g Date	_2_	4.6	<u>&gt; · C</u>	> 2	
	United K	(ingdo	m Pa	tent C	ffice	
	United K	ematic	nal A	pplica	ation	
Name of receiving	Office and	PCTIn	ternatio	nal An	dication	

Applicant's or agent's file reference (if desired) (12 characters maximum) UQI 51057/WO Box No. I TITLE OF INVENTION Cleaning Textiles Box No. II APPLICANT This person is also inventor Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) Telephone No. 01642 432046 Imperial Chemical Industries PLC Facsimile No. 01642 436146 20 Manchester Square London Teleprinter No. W1U 3AN United Kingdom Applicant's registration No. with the Office State (that is, country) of nationality: State (that is, country) of residence: GB GB This person is applicant all designated States all designated States except the United States of America for the purposes of: the United States of America only the States indicated in the Supplemental Box Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S) Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) This person is: applicant only MOTSON, Harold Russell 10 Grantham Road applicant and inventor Norton, Stockton-On-Tees, inventor only (If this check-box is marked, do not fill in below.) Cleveland, TS10 1PP United Kingdom Applicant's registration No. with the Office State (that is, country) of nationality: State (that is, country) of residence: GB GB This person is applicant all designated all designated States except the United States of America the United States of America only for the purposes of: the States indicated in the Supplemental Box Further applicants and/or (further) inventors are indicated on a continuation sheet. Box No. IV AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE The person identified below is hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as: common representative agent Name and address: (Family name followed by given name; for a legal entity, full official designation.

The address must include postal code and name of country.) Telephone No. 01642 432046 ROBERTS, Jonathan Winstanley Facsimile No. Uniqema Intellectual Property Department 01642 436146 Wilton Centre Teleprinter No. Wilton, Redcar TS10 4RF United Kingdom Agent's registration No. with the Office Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.

Sheet No. ...2...

Continuation of Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)								
If none of the following sub-boxes is used, this sheet should not be included in the request.								
Name and address: (Family name followed by given name; for a legal entity. The address must include postal code and name of country. The country of the Box is the applicant's State (that is, country) of residence if no State of residence if no St	e adaress indicated in this							
State (that is, country) of nationality: GB	State (that is, country) of residence:  GB							
This person is applicant all designated for the purposes of:	States except the United States of America only the States indicated in the Supplemental Box							
Name and address: (Family name followed by given name; for a legal entity The address must include postal code and name of country. The country of the Box is the applicant's State (that is, country) of residence if no State of residence APPELMAN, Eric Adriaan Van Bleijenburgstraat 22 3311 LB Dordrecht Netherlands	applicant only  applicant and inventor inventor only (If this check-box is marked, do not fill in below.)  Applicant's registration No. with the Office							
State (that is, country) of nationality: NL	State (that is, country) of residence: NL							
This person is applicant all designated for the purposes of:	d States except tates of America of America only the States indicated in the Supplemental Box							
Name and address: (Family namefollowed by given name; for a legal ent The address must include postal code and name of country. The country of the Box is the applicant's State (that is, country) of residence if no State of residence	ne adaress indicated in this							
State (that is, country) of nationality:	State (that is, country) of residence:							
This person is applicant all designated for the purposes of: all designated the United S	the United States the States indicated in the States of America only the Supplemental Box							
Name and address: (Family name followed by given name; for a legal en The address must include postal code and name of country. The country of Box is the applicant's State (that is, country) of residence if no State of residen	ine daaress indicated in this							
State (that is, country) of nationality:	State (that is, country) of residence:							
This person is applicant for the purposes of:  all designated all designated the United to the Unite	ed States except States of America							
Further applicants and/or (further) inventors are indicated	on another continuation sheet.							

Sheet No. ...3...

Box	No.	V DESIGNATION OF STATES	Mark the applicable check-boxes below; as	t least one must be marked.
The	follo	wing designations are hereby made unde	er Rule 4.9(a):	
		ll Patent		
K	AP	ADIRO Potonte CH Ghana GM G	ambia, KE Kenya, LS Lesotho, MW M	Ialawi, MZ Mozambique, SD Sudan,
	AL.	or Ciama Lagra S7 Sureviland T7. Un	ited Republic of Tanzania, UG Uganda, ZIV	Lambia, Lw Limbabwe, and any other
: <b>.</b>		State which is a Contracting State of t	he Harare Protocol and of the PCT (if othe	r kina of protection or treatment destrea,
X	EA	Eurasian Patent: AM Armenia, AZ A	zerbaijan, BY Belarus, KG Kyrgyzstan, KZ	Kazakhstan, MD Republic of Moldova,
		RU Russian Federation, TJ Tajikistan, Patent Convention and of the PCT	TM Turkmenistan, and any other State win	ich is a Contracting State of the Editasian
X	EP	European Patent: AT Austria, BE	Belgium, CH & LI Switzerland and Lie	echtenstein, CY Cyprus, DE Germany,
		DK Denmark, ES Spain, FI Finland, F	R France, GB United Kingdom, GR Greec	e, IK ireland, IT Italy, LU Luxemoourg,
		MC Monaco, NL Netherlands, PT Por the European Patent Convention and o	tugal, SE Sweden, TR Turkey, and any of	mer state which is a conducting state of
rot.	٥.	the European Patent Convention and o	Benin, CF Central African Republic, CG C	Congo, CI Côte d'Ivoire, CM Cameroon,
X	OA	CA Cohon CN Guinea CO Equatori	al Guinea, CW Guinea-Bissau, ML Mall.	MIK Mauritania, INE Miger, SN Sellegal,
		TD Chad TC Togo and any other Sta	te which is a member State of OAPI and a C	Contracting State of the PCI (if other kind)
		of protection or treatment desired, spec	ify on dotted line)	
N	otions	al Patent <i>lif other kind of protection or</i>	treatment desired, specify on dotted line):	
		I Inited Arah Emirates	GM Gambia	NZ New Zealand
	10	Antique and Rerbude	HR Croatia	M OM Oman
X	ÀL	Albania	HU Hungary	PH Philippines
12	ARK	Armania	TD Indonesia	M PL Poland
X	AT	Austria 🔀	IL Israel	M PT Portugal
K	UA	Australia	IN India	RU Russian Federation
X	AZ	Azerbaijan	15 Icciana	NO RUSSIAI Pederation
		Bosnia and Herzegovina	JP Japan	
	BB	Barbados 🔀	KG Kyrgyzstan	SE Sweden
	ממו ממו	Bulgana	KP Democratic People's Republic	XI SG Singapore
		D-1	of Kores	SI Slovenia
		Pelize X	KR Republic of Korea	SK Slovakia
18	CA	Canada	KZ Kazakhstan	SL Sierra Leone
18	СН	& LI Switzerland and Liechtenstein	20 2022 2002	TJ Tajikistan
18	CN	China	LK SII Daika	TM Turkmenistan
N N	I co		LIK DIOCIIL	TR Turkey
X	CR	Costa Rica		TT Trinidad and Tobago
1 12	1 CŲ	Cuba		
\$2 	I CZ	Componer	T.V Tatvia	TZ United Republic of Tanzania
		Dommorle	MA Morocco	UA Ukraine
5	DM	I Dominica	MD Republic of Moldova	UG Uganda
1	DZ	Algeria		US United States of America
1 15	7 70	Foundar	MG Madagascar	TSP was 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
D			MKThe former Yugoslav Republic of	VN Viet Nam
		Spain		YU Yugoslavia
1 -		Finland	MN Mongolia	ZA South Africa
1 1	GB GB			ZM Zambia
1 2	GE GE	Grenada & Georgia	MZ Mozambique	ZW Zimbabwe
	GE	I Ghana	NO Norway	
				-A iomoneo of this sheet
	Check	-boxes below reserved for designating S	tates which have become party to the PCT	
	⊒	l	]	
	<u> </u>		<b></b>	applicant also makes under Dule 4 0/h) all
1	reca	utionary Designation Statement: In a	ddition to the designations made above, the	e applicant also makes under Rule 4.9(b) all
				ndicated in the Supplemental Box as being gnations are subject to confirmation and that by date is to be regarded as withdrawn by the
	pplic	ant at the expiration of that time limit. (C	Confirmation (including fees) must reach the re	eceiving Office within the 15-month time limit.)

#### Sheet No. ...4...

Supplemental Box

If the Supplemental Box is not used, this sheet should not be included in the request.

If, in any of the Boxes, except Boxes Nos. VIII(i) to (v) for which
a special continuation box is provided, the space is insufficient
to furnish all the information: in such case, write "Continuation
of Box No...." (indicate the number of the Box) and furnish the
information in the same manner as required according to the
captions of the Box in which the space was insufficient, in
particular:

Continuation of Box IV

HUMPHRIES, Martyn GRAHAM, John George

- (i) if more than two persons are to be indicated as applicants and/or inventors and no "continuation sheet" is available: in such case, write "Continuation of Box No. III" and indicate for each additional person the same type of information as required in Box No. III. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below;
- (ii) if, in Box No. II or in any of the sub-boxes of Box No. III, the indication "the States indicated in the Supplemental Box" is checked: in such case, write "Continuation of Box No. II" or "Continuation of Box No. III" or "Continuation of Boxes No. II and No. III" (as the case may be), indicate the name of the applicant(s) involved and, next to (each) such name, the State(s) (and/or, where applicable, ARIPO, Eurasian, European or OAPI patent) for the purposes of which the named person is applicant;
- (iii) if, in Box No. II or in any of the sub-boxes of Box No. III, the inventor or the inventor/applicant is not inventor for the purposes of all designated States or for the purposes of the United States of America: in such case, write "Continuation of Box No. II" or "Continuation of Box No. II" or "Continuation of Boxes No. II and No. III" (as the case may be), indicate the name of the inventor(s) and, next to (each) such name, the State(s) (and/or, where applicable, ARIPO, Eurasian, European or OAPI patent) for the purposes of which the named person is inventor;
- (iv) if, in addition to the agent(s) indicated in Box No. IV, there are further agents: in such case, write "Continuation of Box No. IV" and indicate for each further agent the same type of information as required in Box No. IV;
- (v) if, in Box No. V, the name of any State (or OAPI) is accompanied by the indication "patent of addition," or "certificate of addition," or if, in Box No. V, the name of the United States of America is accompanied by an indication "continuation" or "continuation-in-part": in such case, write "Continuation of Box No. V" and the name of each State involved (or OAPI), and after the name of each such State (or OAPI), the number of the parent title or parent application and the date of grant of the parent title or filing of the parent application;
- (vi) if, in Box No. VI, there are more than five earlier applications whose priority is claimed: in such case, write "Continuation of Box No. VI" and indicate for each additional earlier application the same type of information as required in Box No. VI.
- If, with regard to the precautionary designation statement
   contained in Box No. V, the applicant wishes to exclude any
   State(s) from the scope of that statement: in such case, write
   "Designation(s) excluded from precautionary designation
   statement" and indicate the name or two-letter code of each
   State so excluded.

Sheet	No.	 5	_

Box No. VI PRIORITY	CLAIM			•		
The priority of the following	g earlier application(s) is hereb			••		
Filing date of earlier application (day/month/year)	Number of earlier application	national application: country	Vhere earlier application regional application:* regional Office	is: international application: receiving Office		
item (1)				:		
item (2)		·				
item (3)						
item (4)				6.		
item (5)				·		
Further priority claim	s are indicated in the Supplem	ental Box.				
* Where the earlier application industrial Property or one  Box No. VII INTERNATION INTERN	earlier search; reference to uthority):	indicate at least one country Organization for which that UTHORITY I two or more International vo-letter code may be used, of that search (if an earlier	Searching Authorities ar	e competent to carry out the		
Date (day/month/year)	Nun	nber Col	miry (or regional Office)			
Box No. VIII DECLAR	ATIONS					
The following declaration check-boxes below and inc	ns are contained in Boxes No dicate in the right column the n	s. VIII (i) to (v) (mark the umber of each type of decl	e applicable aration):	Number of declarations		
Box No. VIII (i)	Declaration as to the iden	ntity of the inventor		:		
Box No. VIII (ii) Declaration as to the applicant's entitlement, as at the international filing date, to apply for and be granted a patent:						
Box No. VIII (iii)	Declaration as to the ap	plicant's entitlement, as a ty of the earlier application	at the international filing on	:		
Box No. VIII (iv)	Declaration of inventors United States of Americ	ship (only for the purposes a)	s of the designation of th	e :		
Box No. VIII (v)	Declaration as to non-pr	rejudicial disclosures or ex	cceptions to lack of nove	lty :		

Sheet No. . . . 6 . . .

Box No. IX CHECK LIST; LANGUAGE (	OF FILING	
Ahis international application contains:  (a) the following number of sheets in paper form:  request (including declaration sheets) : 6  description (excluding sequence listing part) : 7  claims : 3  abstract : 1  drawings : 0  Sub-total number of sheets : 17  sequence listing part of description (actual number	This international application is accompanied by the following item(s) (mark the applicable check-boxes below and indicate in right column the number of each item):  1.  fee calculation sheet  2.  original separate power of attorney  3.  original general power of attorney  4.  copy of general power of attorney; reference number, if any:  5.  statement explaining lack of signature  6.  priority document(s) identified in Box No. VI as item(s):  7.  translation of international application into (language):	:
of sheets if filed in paper form, whether or not also filed in computer readable form; see (b) below)  Total number of sheets: 17  (b) sequence listing part of description filed in	<ul> <li>8.  separate indications concerning deposited microorganis or other biological material</li> <li>9.  sequence listing in computer readable form (indicate also and number of carriers (diskette, CD-ROM, CD-R or oth (i)  copy submitted for the purposes of international</li> </ul>	m : o type er))
computer readable form  (i)  only (under Section 801(a)(i))  (ii)  in addition to being filed in paper form (under Section 801(a)(ii))  Type and number of carriers (diskette, CD-ROM, CD-R or other) on which the sequence listing part is contained (additional copies to be indicated under item 9(ii), in right column):	under Rule 13ter only (and not as part of the international application)  (ii) (only where check-box (b)(i) or (b)(ii) is marked column) additional copies including, where appl the copy for the purposes of international search Rule 13ter  (iii) together with relevant statement as to the identity of the copy or copies with the sequence listing parmentioned in left column	icable, under :
	10. other (specify):  Language of filing of the international application: English  T, AGENT OR COMMON REPRESENTATIVE	
Next to each signature, indicate the name of the person signature.  ROBERTS, Jonathan Winstanley Authorised Officer	ming and the capacity in which the person signs (if such capacity is not obvious fi	on reward the requesty.
	For receiving Office use only	
Date of actual receipt of the purported international application:	24 JUNE 2002 24.6.02	2. Drawings: received:
<ol> <li>Corrected date of actual receipt due to later timely received papers or drawings complet the purported international application:</li> </ol>	but ing	
Date of timely receipt of the required corrections under PCT Article 11(2):		not received:
International Searching Authority     (if two or more are competent): ISA /	6. Transmittal of search copy delayed until search fee is paid	
Date of receipt of the record copy by the International Bureau:	For International Bureau use only	

10

15

20

30

35

ES CHEN

#### Cleaning Textiles

This invention relates to cleaning textile materials and products including clothes using liquid carbon dioxide (CO<sub>2</sub>) and cleaning additives.

The dry cleaning of clothes using fluid carbon dioxide, either as liquid or supercritical fluid, is known from many patents. An early suggestion is in US 4012194 (Maffei) which teaches simply using liquid carbon dioxide as a substitute for halocarbon solvents e.g. perchlorethylene (perc), used in conventional dry cleaning. Later patents develop approaches using detergent materials, including US Patents US 5676705, US 5683473, US 5683977, US 6131421, US 6148644, and US 6299652 assigned to Unilever and their equivalents, which relate to the use of defined detergents based on various classes of polymers and a series of cases, including US Patents 5858022, 6200352, 6280481, 6297206, 6269507 and US published application 200106053 A, assigned to MiCell and their equivalents. Also US 5279615 assigned to Chlorox Co uses cleaning non-polar organic cleaning adjuncts, especially alkanes, in densified, particularly supercritical CO<sub>2</sub>.

This invention is based on a liquid CO<sub>2</sub> dry cleaning medium including relatively polar multi-esters as cleaning additives which improve the cleaning performance of the liquid CO<sub>2</sub> and give improved handling characteristics as compared with the use of detergents available for use with liquid CO<sub>2</sub>. The multi-esters are compounds having 2 or more carboxylic acid ester groups, and molecular weights of not more than 750.

The invention accordingly provides a detergent free dry cleaning medium based on liquid CO<sub>2</sub> and including from 0.01 to 5% by weight of the cleaning medium of a cleaning additive which is at least one multi-ester having a molecular weight of not more than 750.

Alternatively the invention provides a micelle free dry cleaning medium based on liquid CO<sub>2</sub> and including from 0.01 to 5% by weight of the cleaning medium of a cleaning additive which is at least one multi-ester having a molecular weight of not more than 750.

The invention includes a method of dry cleaning which includes contacting textile material, particularly clothes, with a detergent free dry cleaning medium based on liquid CO<sub>2</sub> and including from 0.01 to 5% by weight of the cleaning medium of a cleaning additive which is at least one multi-ester having a molecular weight of not more than 750.

Further alternatively, the invention includes a method of dry cleaning which includes contacting textile material, particularly clothes, with a micelle free dry cleaning medium based on liquid CO<sub>2</sub> and including from 0.01 to 5% by weight of the cleaning medium of a cleaning additive which is at least one multi-ester having a molecular weight of not more than 750.

In the present invention in describing cleaning media as "detergent free" we mean that they do not include amphiphilic materials that aid soil removal from textiles. In describing cleaning media as "micelle free" we mean that the cleaning medium does not contain micelles of cleaning aditives.

We have found that the presence of detergents including those which may form micelles in liquid  $CO_2$  can reduce the effectiveness of the cleaning additives used in the invention.

The cleaning additive multi-esters used in this invention are desirably of the formula(i):

$$R^{1}(XR^{2})_{n} \qquad \qquad (I)$$

5 where

X is -C(O)O- or -OC(O)-; such that where X is -C(O)O-.

R<sup>1</sup> is a direct bond or the residue of a C<sub>1</sub> to C<sub>10</sub> hydrocarbyl group from which n hydrogen atoms have been removed; and

10 R<sup>2</sup> is a C<sub>1</sub> to C<sub>10</sub> hydrocarbyl group; and

where X is -OC(O)-,

R<sup>1</sup> is or the residue of a C<sub>2</sub> to C<sub>10</sub> hydrocarbyl group from which n hydrogen atoms have been removed; and

 $R^2$  is H or a  $C_1$  to  $C_{10}$  hydrocarbyl group; and

15 n is from 2 to 5;

the compound having a molecular weight of not more than 750.

These cleaning additive multi-esters can be divided into two sub-classes respectively of the formulae (Ia) and (Ib) below. Compounds of the formula (Ia) are esters of a multi-carboxylic acid and a mono-hydroxy alcohol:

20  $R^{1a}(XR^{2a})_n$  (la)

where

X is -C(O)O-;

R<sup>1a</sup> is a direct bond or the residue of a C<sub>1</sub> to C<sub>10</sub> hydrocarbyl group from which n hydrogen atoms have been removed;

25  $R^{2a}$  is a  $C_1$  to  $C_{10}$  hydrocarbyl group; and : .

the compound having a molecular weight of not more than 750.

Examples of compounds of the formula (Ia) include di-esters of dicarboxylic acids such as succinic, glutaric and adipic acids.

Compounds of the formula (lb) are esters of a monocarboxylic acid and a multi-hydroxy alcohol:

30 
$$R^{1b}(XR^{2b})_n$$
 (lb)

where

X is -OC(0)-:

R<sup>1b</sup> is or the residue of a C<sub>2</sub> to C<sub>10</sub> hydrocarbyl group from which n hydrogen atoms have been removed; and

35  $R^{2b}$  is H or a  $C_1$  to  $C_{10}$  hydrocarbyl group; and

the compound having a molecular weight of not more than 750.

10

15

20

25

30

35

Examples of compounds of the formula (lb) include esters of multi-hydroxyl compounds such as triacetin (gycerol triacetate), ethylene glycol diacetate and pentaerythritol tetra-acetate.

The precise mode of action of the multi-ester cleaning additives is not clear. They do appear to boost the overall cleaning performance of liquid CO<sub>2</sub> but operating at levels that are significantly lower that would be expected to be effective if the effect were simply additive co-solvency. In addition the use of these additives gives improved handling of textiles cleaned using them as compared with no cleaning additives or commercially available detergents for use in liquid CO<sub>2</sub>.

Within the formula (I) above, generally is desirable that the group X is -C(O)O- as these compounds seem to provide superior effects in cleaning. Among such compounds, the group  $R^1$  is desirably -(CH2)<sub>m</sub>- where m=2 to 6, particularly 2 to 4 and especially as in the mixed ester of succinic, glutaric and adipic acids; and the group  $R^2$  is desirably methyl , ethyl or propyl, particularly methyl. Thus, the dimethyl esters of succinic, glutaric and adipic acids, particularly as mixtures are particularly desirable additives.

The molecular weight of the cleaning additive is not more than 750 and is desirably not more than 500. In practice the molecular weight for individual components e.g. of formula (I) can be as low as 118 (dimethyl oxalate) but will not usually be lower than 146 (dimethyl succinate and ethylene glycol diacetate). More usually on average the molecular weight will be at least 150, particulary from 150 to 300. The mixed dimethyl esters of succinic, glutaric and adipic acids can have molecular weights ranging from about 150 to 170 e.g. for an approximately 1:1:3 mixture the average molecular weight is about 165.

In order to maintain the desired high polarity, the ratio of oxygen to carbon atoms in the molecules of the cleaning additive is (on average) desirably from from 1:1 to 1:5 particularly from 1:1 to 1:3 and especially from 1:1 to 1:1.5. The mixed dimethyl esters mentioned above have an average ratio of ca 1:1.23.

The amount of cleaning additive multi-ester present in the cleaning medium is from 0.01 to 5%, usually from 0.05 to 2%, more usually from 0.1 to 1%, particularly from 0.1 to 0.5% and more particularly from 0.1 to 0.3% by weight of the cleaning medium. The use of lower amounts of cleaning additive will not generally give useful results and use of larger amounts does not appear to give additional benefits and may result in including so much additive in the system that additive residues are deposited onto the textiles being cleaned or left on the walls of the cleaning apparatus.

Other ingredients can be included in the dry cleaning formulation such as fragrances, optical brighteners, fabric conditioners such as softeners, and sizes e.g. starch, enzymes, bleaches, particularly peroxide bleaches e.g. organic and/or inorganic peroxides or hydrogen peroxide or a source of hydrogen peroxide.

10

15

20

25

30

The textiles to be cleaned will usually be garments and can be of woven or non-woven fabrics. The fibre making up the fabric can be or include a wide range of natural and synthetic fibres including polyamides particularly natural polyamides such as silk and wool and synthetic polyamides such as nylon, cellulosic fibres such as cotton, linen and rayon, synthetic polymers such as polyester, particularly polyethylene terephthalate or related copolymers, or acetate polymers. When fabrics including acetate polymers and possibly nylon polymers are cleaned it is best to avoid direct contact between the fabric and high concentrations of or neat multi-ester additives. When neat or at high concentration, the multi-ester additives may swell or dissolve such polymers leading to fabric damage. Thus it is desirable to pre-mix the multi-ester with CO<sub>2</sub> before permitting contact with such polymers. Pre-mixing the multi-ester cleaning additive with CO<sub>2</sub> to give a concentration of less than about 10%, more usually less than 5%, and desirably not more than 2% by weight of the cleaning additive in the liquid CO<sub>2</sub> based cleaning medium before the additive comes into contact with the textile seems to avoid this potential problem.

The particular mode of operation will depend on the equipment used. Generally the cleaning will be carried out in a drum, which may have its axis vertical or horizontal. The textiles are introduced into the drum which is then sealed and filled with the cleaning medium including carbon dioxide typically to give a mixture of liquid and gaseous  $CO_2$  in the drum. The textiles and liquid  $CO_2$  based cleaning medium are then agitated to give thorough mixing and contact between the cleaning medium and textiles. The textiles will be contacted with the cleaning medium for a time adequate to clean the textiles to the desired extent. The cleaning medium is then separated from the textiles, typically by draining or venting it from the drum. Generally the textiles will be subject to one such cleaning cycle, but if desired the cleaning cycle may be repeated to obtain a higher degree of cleaning. Usually, the textiles are subject to at least one rinse cycle with liquid carbon dioxide usually not including cleaning additives, but which may include fabric softeners, optical bleaches etc if desired. The rinse liquid is similarly separated from the textiles, which can then recovered by de-pressurising the drum and opening it to removed the textiles.

Any suitable apparatus for dry cleaning with liquid carbon dioxide can be used. Typically such apparatus includes a drum in which the cleaning is carried out. The drum may have its axis horizontal or vertical. (Other angles of orientation will generally be less convenient in operation.) Providing agitation in a horizontal axis drum can simply be by rotation around its axis. Vertical axis drums will usually include an agitator which can be moved to agitate the drum contents. Other means of agitation include paddles or vanes in the drum or by jetting liquid CO<sub>2</sub> into the mixture of cleaning medium and textiles in the drum. Suitably vigorous agitation may give rise to cavitation in the cleaning medium and this may improve the cleaning performance.

Typically the cleaning temperature will be from -10 to 25°C, more usually from 5 to 25°C, particularly from 10 to 20°C. The operating temperature will not usually be above about 25°C to maintain the cleaning medium a reasonable margin from the critical point of CO<sub>2</sub>, as supercritical

10

CO<sub>2</sub> may extract textile dyes from fabrics. Operating at or near ambient temperature simplifies operation of the process, but using a lower temperature means that the CO<sub>2</sub> is more dense and a more effective cleaning agent. Temperatures in the range 10 to 17°C, particularly 12 to 15°C generally provide a reasonable balance of properties and are thus advantageous.

During cleaning the cleaning medium must be kept at a pressure which maintains the CO<sub>2</sub> at least partially as a liquid. This will usually be the vapour pressure of the cleaning medium at the temperature of operation because, as is noted above, it is desirable for both liquid and gaseous CO<sub>2</sub> to be present. At the typical operating temperatures noted above, the corresponding pressures are approximately 2.7 to 6.4 MPa, more usually from 4 to 6.4 Mpa, particularly from 4.5 to 5.7 Mpa and balancing density and temperature 4.5 to 5.5 Mpa, particularly from 4.9 to 5.1 Mpa.

The invention is illustrated by the following Examples. All parts and percentages are by weight unless otherwise indicated.

#### Materials

5

CA1 mixed esters: dimethyl adipate (ca 60%), dimethyl glutamate (ca 20%), and dimethyl succinate (ca 20%)

CA1a additive CA1 plus a fragrance

CA2 mixed esters: dimethyl adipate (ca 90%) and dimethyl glutamate (ca 10%)

CA3 dimethyl adipate

CA4 triacetin

10 CD1 Kreussler - conventional formulated detergent

CD2 Fabritech 5565 - conventional formulated detergent

CD3 Conventional detergent (composition not known)

Cleaning testing used standard "Krefeld" stained cloths. The codes for these cloths inloude a number indicating the fabric type and a letter or letters indicating the soil as follows:

	· · · · · · · · · · · · · · · · · · ·					
	Cloth Type					
10	cotton					
20	polycoton					
30	polyester (PET)					

	Soil Type							
С	WFK soil*/lanolin mix	GN	used motor oil					
D	sebum	TE	clay					
LS	Lipstick	PF	pigment/vegetable fat					

15 \* WFK soil - a mixed soil based on kaolinite and containing soot and iron oxide pigments

Cleaning effectiveness - was assessed spectrometrically (using an X-Rite Spectrophotomeric Colour Measurement system) by comparison of commercially available standard soiled cloths before and after cleaning with the results given as % stain removal.

#### Example 1

25

30

Various cleaning additives were tested for efficacy in removing stains from standard stained cloths using the experimental cleaning machine and method set out below.

#### Test Cleaning Procedure

An experimental cleaning machine is based on a pressure cylinder ca 50 cm long by 15 cm diameter (external); internal volume ca 6 I as the cleaning vessel. Connections are provided to enable the cylinder to be filled with carbon dioxide and emptied and for holding test cloths in the vessel.

Soiled fabric samples are held in place inside the pressure cylinder, the desired additive is introduced into the bottom of the cylinder using a syringe and the cylinder sealed. The cylinder is filled initially with gaseous carbon dioxide (to a minimum of 30 bar pressure) and then the desired quantity, usually from 1.5 to 2.0 kg (measured by logging the weight loss of the supply cylinder), of liquid carbon dioxide is introduced. The supply connections are removed and the test cylinder is rotated end over end for a predetermined time. The cylinder

is then suspended with its axis vertical so that the 'dirty' liquid drains away from the washed fabric samples under gravity. The 'dirty' liquid CO<sub>2</sub> is vented to atmosphere. A rinse stage is normally carried out by repeating the filling process but without using any cleaning additive. The fabric samples are then removed from the machine removed and the stains examined using a computer controlled spectrophotomeric colour measurement system.

The cleaning conditions and the results obtained are set out in Table 1 below

Table 1

	Wash	Rinse	Final										
Ex No	Time	Time	Press.	Temp	Add	Additive		ditive % Soil Removed					
	(min)	(min)	(Bar)	(°C)	type	(%w/w)	30C	30D	10LS	10PF	10GM		
1.C.1	15	0	50	16	none	-	25	35	27	23	24		
1.C.2	15	15	50/51	13/15	CD1	0.2	28	39	29	29	26		
1.1	15	15	50	15	CA1	0.2	36	41	38	28	28		
1.2	15	15	45	12	CA1	0.2	33	32	30	23	24		
1.3	15	15	48	14	CA2	0.2	20	34	29	19	19		
1.4	15	15	_	-	CA3	0.2	33	42	30	25	27		

#### Example 2 -

Further tests were carried out in commercial scale liquid CO<sub>2</sub> dry cleaning equipment using standard Krefeld soiled cloths, pinned to blank textile sheets to provide more realistic behaviour in the cleaning machine. The results are set out in Table 2 below:

Table 2

Ex No	Additive		30C	30D	20MU	10LS	-10PF	10TE	10GM
	type	amount					_		
2.1.C.1	none	-	42	55	31	36	38	18	26
2.1.C.2	CD2	0.2	20	35	21	32	29	14	22
2.1	CA1a	0.2	48	67	39	39	47	24 .	28
2.2.C.1	none	_	38	64	. 32	· 38	41	18	26
2.2.C.2	CD3	0.2	45	63	33	36	40	22	23
2.2	ÇA1a	0.2	45	69	32	39	45	. 23	24

The textiles cleaned using additive CA1a had a significantly improved feel as compared with cloths cleaned with liquid CO<sub>2</sub> alone or using the commercial detergent additives.

10

#### Claims

- A detergent free dry cleaning medium based on liquid CO<sub>2</sub> and including from 0.01 to 5% by weight of the cleaning medium of a cleaning additive which is at least one multi-ester having a molecular weight of not more than 750.
- A dry cleaning formulation as claimed in claim 1 wherein the multi-ester includes at least one compound of the formula (I):

$$R^{1}(XR^{2})_{n} \qquad (I)$$

where

X is -C(O)O- or -OC(O)-; such that

10 where X is -C(O)O-,

R<sup>1</sup> is a direct bond or the residue of a C<sub>1</sub> to C<sub>10</sub> hydrocarbyl group from which n hydrogen atoms have been removed; and

R<sup>2</sup> is a C<sub>1</sub> to C<sub>10</sub> hydrocarbyl group; and

where X is -OC(O)-,

15 R<sup>1</sup> is or the residue of C<sub>2</sub> to C<sub>10</sub> hydrocarbyl group from which n hydrogen atoms have been removed; and

 $R^2$  is H or a  $C_1$  to  $C_{10}$  hydrocarbyl group; and

n is from 2 to 5;

the compound having a molecular weight of not more than 750.

20 3 A dry cleaning formulation as claimed in claim 2 wherein the multi-ester is of the formula (Ia):  $R^{1a}(XR^{2a})_n$  (Ia)

where

25

X is -C(O)O-;

R<sup>1a</sup> is a direct bond or the residue of a C<sub>1</sub> to C<sub>10</sub> hydrocarbyl group from which n hydrogen atoms have been removed;

 $R^{2a}$  is a  $C_1$  to  $C_{10}$  hydrocarbyl group; and

- A dry cleaning formulation as claimed in claim 3 wherein the multi-ester is a dimethyl ester of adipic, glutaric or succinic acids or a mixture of such esters.
- A dry cleaning formulation as claimed in any one of claims 1 to 4 wherein the average molecular weight of the multi-ester(s) is from 150 to 300.
  - A dry cleaning formulation as claimed in any one of claims 1 to 5 wherein the average ratio of oxygen atoms to carbon atoms in the multi-ester(s) is from 1:1 to 1:5.
  - A dry cleaning formulation as claimed in claim 6 wherein the average ratio of oxygen atoms to carbon atoms in the multi-ester(s) is from 1:1 to 1:1.5.

- A dry cleaning formulation as claimed in any one of claims 1 to 7 wherein the amount of cleaning additive multi-ester present in the cleaning medium is from 0.1 to 0.5% by weight of the cleaning medium.
- A dry cleaning formulation as claimed in any one of claims 1 to 8 which additionally includes at least one fragrance, optical brightener, fabric conditioner, enzyme and/or bleach.
  - A method of dry cleaning which includes contacting textile material with a detergent free dry cleaning medium based on liquid CO<sub>2</sub> and including from 0.01 to 5% by weight of the cleaning medium of a cleaning additive which is at least one multi-ester having a molecular weight of not more than 750.
- 10 A method as claimed in claim 10 wherein the multi-ester includes at least one compound of the formula (I): R<sup>1</sup>(XR<sup>2</sup>)<sub>n</sub> where X, R<sup>1</sup>, R<sup>2</sup> and n are as defined in claim 2, the compound having a molecular weight of not more than 750.
  - 12 A method as claimed in claim 11 wherein the multi-ester is of the formula (Ia):  $R^{1a}(XR^{2a})_n$  (Ia)
- 15 where

X is -C(O)O-;

R<sup>1a</sup> is a direct bond or a C<sub>1</sub> to C<sub>10</sub> hydrocarbyl group from which n hydrogen atoms have been removed;

R<sup>2a</sup> is a C<sub>1</sub> to C<sub>10</sub> hydrocarbyl group; and

- 20 13 A method as claimed in any claim 12 wherein the multi-ester is a dimethyl ester of adipic, glutaric or succinic acids or a mixture of such esters.
  - 14 A method as claimed in any one of claims 10 to 13 wherein the average molecular weight of the multi-ester(s) is from 150 to 300.
  - A method as claimed in any one of claims 10 to 14 wherein the average ratio of oxygen atoms to carbon atoms in the multi-ester(s) is from 1:1 to 1:1.5.
    - A method as claimed in any one of claims 10 to 15 wherein the amount of cleaning additive multi-ester present in the cleaning medium is from 0.1 to 0.5% by weight of the cleaning medium.
- A method as claimed in any one of claims 10 to 16 which additionally includes at least one fragrance, optical brightener, fabric conditioner, enzyme and/or bleach.
  - A method as claimed in any one of claims 10 to 17 wherein the multi-ester is pre-mixed with liquid CO<sub>2</sub> before contacting the textiles.
  - 19 A method as claimed in any one of claims 10 to 18 wherein the cleaning process is carried out at a temperature of from -5 to 25°C.

25

- A method as claimed in claim 19 wherein the temperature is from from 5 to 20°C.
- 21 A method as claimed in claim 20 wherein the temperature is from from 12 to 15°C.

.

#### **Abstract**

#### **Cleaning Textiles**

Detergent or micelle free cleaning media based on detergent free and/or micelle free liquid  $CO_2$  and including from 0.01 to 5% by weight of the formulation of a cleaning additive which is at least one multi-ester having a molecular weight of not more than 750 can be used in dry cleaning of textiles. Desirable cleaning additives are of the formula (1):  $R^1(XR^2)_n$  where X,  $R^1$ ,  $R^2$ , and n have defined meanings, particularly to be esters of multi-carboxylic acids and mono-hydroxy alcohols or esters of mono-carboxylic acids and multi-hydroxy alcohols.

THE RELATIONS

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

OTHER: \_\_\_

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.